



---

# Pilates References

*Updated Feb 2021 by Pilates Method Alliance Research Committee Chair:  
Sherri Betz, PT, DPT GCS, NCPT*

## PILATES REFERENCES (307)

Updated FEB 2021

\*Newly added References in blue

Sherri R. Betz, PT, DPT, GCS, NCPT  
Chair, PMA® Research Committee  
Nationally Certified Pilates Teacher

### Meta Analyses and Systematic Reviews (37)

Aladro-Gonzalvo AR, et al. (2013) Pilates-based exercise for persistent, non-specific low back pain and associated functional disability: a meta-analysis with meta-regression. [Review]. *J Bodywork Move Ther* 17(1): 125-136.

Barker AL, Bird ML, Talevski J. (2015) Effect of Pilates exercise for improving balance in older adults: a systematic review with meta-analysis. *Arch Phys Med Rehabil*. Apr;96(4):715-23. Review.

Bullo V, et al. (2015) "The effects of Pilates exercise training on physical fitness and wellbeing in the elderly: A systematic review for future exercise prescription." *Prev Med* 75: 1-11.

Byrnes K, et al. (2018) Is Pilates an effective rehabilitation tool? A systematic review. *J Bodywork Move Ther* 22(1): 192-202.

Campos RR, et al. (2016) "The effect of the Pilates method on the physical conditioning of healthy subjects: a systematic review with meta-analysis." *J Sports Med Phys Fitness*. Jul-Aug;56(7-8):864-73.

Cancela J, et al. (2014) Effects of Pilates method in physical fitness on older adults. A systematic review. *European Reviews of Aging & Physical Activity* 11(2): 81-94.

Casonatto J, & Yamacita CM. (2020) Pilates exercise and postural balance in older adults: A systematic review and meta-analysis of randomized controlled trials. *Complement Ther Med* 48, 102232.

Cavina APS, et al. (2020) Effects of the Mat Pilates Method on Body Composition: Systematic Review With Meta-Analysis. *J Phys Act Health* May 11;1-9.

Chen Z, et al. (2020) Effect of Pilates on Sleep Quality: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Front Neurol* 11:158.

Costa, LOPH, et al. (2012) Pilates for low-back pain. *Cochrane Database of Systematic Reviews* (12).

Cruz-Ferreira A et al. (2011) A Systematic Review of the Effects of Pilates Method of Exercise in Healthy People. *Arch Phys Med Rehabil* Dec;92:2071-81.

de Oliveira Francisco, C, et al. (2015) "Effects of Pilates method in elderly people: Systematic review of randomized controlled trials." *J Bodyw Mov Ther* 19(3): 500-508.

Domingues de Freitas C, Costa DA, Junior NC, Civile VT. (2020) Effects of the Pilates method on kinesiophobia associated with chronic non-specific low back pain: Systematic review and meta-analysis. *J Bodyw Mov Ther* Jul;24(3):300-306.

Engers PB, et al. (2016) The effects of the Pilates method in the elderly: a systematic review. *Rev Bras Reumatol* Jul-Aug;56(4):352-65.

- Fleming KM & Herring MP (2018) The effects of Pilates on mental health outcomes: A meta-analysis of controlled trials. *Complement Ther Med* 37: 80-95.
- Giangregorio LM, et al. (2015) Too Fit To Fracture: outcomes of a Delphi consensus process on physical activity and exercise recommendations for adults with osteoporosis with or without vertebral fractures. *Osteoporos Int* 26(3): 891-910.
- Giannakou I, Gaskell L. (2020) A qualitative systematic review of the views, experiences and perceptions of Pilates-trained physiotherapists and their patients. *Musculoskeletal Care* Sep 15.
- Granacher U, et al. (2013) The importance of trunk muscle strength for balance, functional performance, and fall prevention in seniors: a systematic review. *Sports Med* 43(7): 627-641.
- Hornsby E, & Johnston LM. (2020) Effect of Pilates Intervention on Physical Function of Children and Youth: A Systematic Review. *Arch Phys Med Rehabil* 101(2), 317-328.
- Kamioka H, et al. (2016) Effectiveness of Pilates exercise: A quality evaluation and summary of systematic reviews based on randomized controlled trials. *Complement Ther Med* 25: 1-19.
- La Touche R, et al. (2007) Treating non-specific chronic low back pain through the Pilates Method. *J Bodywork Move Ther* Dec;12:364-70. (Systematic Review)
- Lim EC, et al. (2011) Effects of Pilates-based exercises on pain and disability in individuals with persistent nonspecific low back pain: a systematic review with meta-analysis. *J Orthop Sports Phys Ther* Feb;41(2):70-80.
- Marques KAP, Trindade CBB, Almeida MCV, Bento-Torres NVO. (2020) Pilates for rehabilitation in patients with multiple sclerosis: A systematic review of effects on cognition, health-related physical fitness, general symptoms and quality of life. *J Bodyw Mov Ther* Apr;24(2):26-36.
- Mazzarino M, et al. (2015) "Pilates method for women's health: Systematic review of randomized controlled trials." *Arch Phys Med Rehabil*.
- Miranda S & Marques A. (2018) Pilates in noncommunicable diseases: A systematic review of its effects. *Complement Ther Med* 39, 114-130.
- Miyamoto GC, Costa LO, Cabral CM. (2013) Efficacy of the Pilates method for pain and disability in patients with chronic nonspecific low back pain: a systematic review with meta-analysis. *Braz J Phys Ther* 17: 517-532.
- Moreno-Segura N, et al. (2018) The Effects of the Pilates Training Method on Balance and Falls of Older Adults: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Journal of Aging & Physical Activity* 26(2), 327-344.
- Owen PJ, et al. (2020) Which specific modes of exercise training are most effective for treating low back pain? Network meta-analysis. *Br J Sports Med* Nov;54(21):1279-1287.
- Patti A, et al. (2015) Effects of Pilates exercise programs in people with chronic low back pain: a systematic review. *Medicine* 94(4): e383-e383.

Pereira LM, et al. (2011) Comparing the Pilates method with no exercise or lumbar stabilization for pain and functionality in patients with chronic low back pain: Systematic review and meta-analysis. *Clin Rehabil* Aug 19.

Pinto-Carral A, et al. (2018) Pilates for women with breast cancer: A systematic review and meta-analysis. *Complement Ther Med* 41:130-140.

Posadzki P, et al. (2011) Pilates for low back pain: a systematic review. *Complement Ther Clin Pract* May;17(2):85-9.

Sanchez-Lastra MA, et al. (2019) Pilates for people with multiple sclerosis: A systematic review and meta-analysis. *Mult Scler Relat Disord* 28:199-212.

Suarez-Iglesias D, et al. (2019) Benefits of Pilates in Parkinson's Disease: A Systematic Review and Meta-Analysis. *Medicina (Kaunas)* 55(8).

Yamato TP, et al. (2015) Pilates for low back pain. *Cochrane Database Syst Rev*. Jul 2;(7):CD010265. Review.

Wells C et al. (2012) Defining Pilates exercise: A systematic review. *Complement Ther Med* Feb.

Wells C, et al. (2013) Effectiveness of Pilates exercise in treating people with chronic low back pain: a systematic review of systematic reviews. *BMC Medical Research Methodology* 13(1), 7.

## **Literature Reviews (4)**

Ana Carla S, et al. (2020) Influence of Pilates Method on Nonspecific Lumbar Pain. *Brazilian Neurosurgery* 39(04), 300-305.

Eliks M, et al. (2019) Application of Pilates-based exercises in the treatment of chronic non-specific low back pain: state of the art. *Postgrad Med J* 95(1119): 41-45.

Gonzales AI, et al. (2016) Pilates Exercise for Hypertensive Patients: A Review of the Literature. *Altern Ther Health Med* 22(5): 38-43.

Vaquero-Cristóbal R, et al. (2015) The Effects of the Pilates Method on Hamstring Extensibility, Pelvic Tilt and Trunk Flexion. *Nutr Hosp* Nov 1;32(5):1967-86. Spanish (Literature Review)

## **Randomized Controlled Trials (124)**

Aibar-Almazan A., et al. (2019) Effects of Pilates on fall risk factors in community-dwelling elderly women: A randomized, controlled trial. *Eur J Sport Sci*:1-9.

Aibar-Almazan A, et al. (2019) Effects of Pilates training on sleep quality, anxiety, depression and fatigue in postmenopausal women: A randomized controlled trial. *Maturitas* (124)62-67.

Aibar-Almazán A, et al. (2020) The Influence of Pilates Exercises on Body Composition, Muscle Strength, and Gait Speed in Community-Dwelling Older Women: A Randomized Controlled Trial. *J Strength Cond Res* Sep 25.

Altan L, et al. (2009) Effect of Pilates training on people with fibromyalgia syndrome: a pilot study. *Arch Phys Med Rehabil* Dec;90(12):1983-8. (Randomized Controlled Trial)

Altan L, et al. (2012) Effect of Pilates training on people with ankylosing spondylitis. *Rheumatol Int* 32(7): 2093-2099.

Amaral DDV, et al. (2020) Examination of a Subgroup of Patients With Chronic Low Back Pain Likely to Benefit More From Pilates-Based Exercises Compared to an Educational Booklet. *J Orthop Sports Phys Ther* Apr;50(4):189-197.

Anderson BA. (2005) Randomized clinical trial comparing active versus passive approaches to the treatment of recurrent and chronic low back pain. *Dissertation submitted to University of Miami for doctoral thesis*, Dec 2005.

Angin E, Erden Z, Can F. (2015) The effects of clinical Pilates exercises on bone mineral density, physical performance and quality of life of women with postmenopausal osteoporosis. *J Back Musculoskelet Rehabil* 2015;28(4):849-58.

Arihiro H, et al. (2018) Pilates Exercise Improves Hip Joint Flexion Mobility in Rugby Players. *Advances in Exercise & Sports Physiology* 24(3): 45-49.

Ashrafinia F, et al. (2015) Effect of Pilates exercises on postpartum maternal fatigue. *Singapore Med J* Mar;56(3):169-73.

Barker AL, et al. (2016) Feasibility of Pilates exercise to decrease falls risk: a pilot randomized controlled trial in community-dwelling older people. *Clin Rehabil* 30(10): 984-996.

Barros BS, et al. (2020) The management of lower back pain using Pilates method: assessment of content exercise reporting in RCTs. *Disabil Rehabil* Oct 23;:1-9.

Beatriz Mendes T & Marcelo Tavella N. (2018) Effect of Pilates method on inspiratory and expiratory muscle strength in the elderly. *Revista Brasileira de Cineantropometria e Desempenho Humano Vol 20, Iss 1, Pp 1-9 (2018)(1), 1.*

Bird ML, et al. (2012) A Randomized Controlled Study Investigation Static and Dynamic Balance in Older Adults After Training. *Arch Phys Med Rehabil* Jan; 93(1):43-9.

Borges J, et al. (2014) Pilates exercises improve low back pain and quality of life in patients with HTLV-1 virus: A randomized crossover clinical trial. *J Bodywork Move Ther* 18(1): 68-74.

Bulguroglu I, et al. (2017) The effects of Mat Pilates and Reformer Pilates in patients with Multiple Sclerosis: A randomized controlled study. *Neuro Rehabilitation* 41(2): 413-422.

Çağlayan BÇ, et al. (2020) Effects of clinical Pilates exercises in individuals with fibromyalgia: A randomized controlled trial. *Eur J Rheumatol* Dec 1.

Campos de Oliveira L, et al. (2015) Effects of Pilates on muscle strength, postural balance and quality of life of older adults: a randomized, controlled, clinical trial. *J Phys Ther Sci* Mar;27(3):871-6.

- Cancelliero-Gaiad Karina M, et al. (2014) Respiratory pattern of diaphragmatic breathing and Pilates breathing in COPD subjects. *Revista Brasileira de Fisioterapia Sao Carlos* (Sao Paulo, Brazil) 18(4): 291-299. (Prospective, Randomized Crossover Trial)
- Carrasco-Poyatos M, et al. (2018) Pilates vs. muscular training in older women. Effects in functional factors and the cognitive interaction: A randomized controlled trial. *Physiol Behav* 201: 157-164.
- Cibinello FU, et al. (2020) Effect of Pilates Matwork exercises on posterior chain flexibility and trunk mobility in school children: A randomized clinical trial. *J Bodyw Mov Ther* Oct;24(4):176-181.
- Critchley DJ, et al. (2011) Effect of Pilates mat exercises and conventional exercise programmes on transversus abdominis and obliquus internus abdominis activity: pilot randomised trial. *Man Ther* Apr;16(2):183-9.
- Cruz-Díaz D, et al. (2015) Effects of a six-week Pilates intervention on balance and fear of falling in women aged over 65 with chronic low-back pain: A randomized controlled trial. *Maturitas* Dec;82(4): 371-6.
- Cruz-Díaz D, et al. (2016) Short- and long-term effects of a six-week clinical Pilates program in addition to physical therapy on postmenopausal women with chronic low back pain: a randomized controlled trial. *Disabil Rehabil* Jun;38(13):1300-8.
- Cruz-Díaz D, et al. (2018) The effectiveness of 12 weeks of Pilates intervention on disability, pain and kinesiophobia in patients with chronic low back pain: a randomized controlled trial. *Clinical Rehabilitation* 32(9), 1249-1257.
- Cruz-Ferreira A et al. (2013) Does Pilates-Based Exercise Improve Postural Alignment in Adult Women? *Women & Health* Aug; 53(6): 597-611. (Randomized Controlled Trial)
- Culligan PJ, et al. (2010) A randomized clinical trial comparing pelvic floor muscle training to a Pilates exercise program for improving pelvic muscle strength. *Int Urogynecol J* Apr;21(4):401-8.
- Curi VS, et al. (2018) Effects of 16-weeks of Pilates on health perception and sleep quality among elderly women. *Arch Gerontol Geriatr* 74, 118-122.
- da Fonseca JL, et al. (2009) Laboratory gait analysis in patients with low back pain before and after a Pilates intervention. *J Sport Rehabil* May;18(2):269-82.
- da Luz MA, et al. (2014) Effectiveness of mat Pilates or equipment-based Pilates in patients with chronic non-specific low back pain: a randomised controlled trial. *Phys Ther* May;94(5):623-31.
- da Silva ML, et al. (2020) Different weekly frequencies of Pilates did not accelerate pain improvement in patients with chronic low back pain. *Brazilian Journal of Physical Therapy / Revista Brasileira de Fisioterapia* 24(3), 287-292.
- Dale LM, Mikuski C, Miller J. (2015) Outcomes of a Pilates-based intervention for individuals with lateral epicondylitis: A pilot study. *Work* 53(1):163-74. (Randomized Controlled Trial)

de Alvarenga GM, et al. (2018) The influence of inspiratory muscle training combined with the Pilates method on lung function in elderly women: A randomized controlled trial. *Clinics* Vol 73, Iss 0 (0).

de Araujo Cazotti L, et al. (2018) Effectiveness of the Pilates Method in the Treatment of Chronic Mechanical Neck Pain: A Randomized Controlled Trial. *Arch Phys Med Rehabil* 99(9), 1740-1746.

de Freitas DC, Costa DA, Junior NC, & Civile VT. (2020) Effects of the pilates method on kinesiophobia associated with chronic non-specific low back pain: Systematic review and meta-analysis. *J Bodywork Move Ther* 24(3), 300-306.

de Medeiros SA, de et al. (2020) Mat Pilates is as effective as aquatic aerobic exercise in treating women with fibromyalgia: a clinical, randomized and blind trial. *Adv Rheumatol* Apr 6;60(1):21.

de Oliveira LC, et al. (2019) Effects of Whole-Body Vibration Versus Pilates Exercise on Bone Mineral Density in Postmenopausal Women: A Randomized and Controlled Clinical Trial. *J Geriatr Phys Ther* 42(2): E23-e31.

Donath L, et al. (2016) Pilates vs. Balance Training in Health Community-Dwelling Seniors: a 3-arm, Randomized Controlled Trial. *Int J Sports Med* Mar;37(3):202-10.

Donzelli S, et al. (2006) Two different techniques in the rehabilitation treatment of low back pain: a randomized controlled trial. *Eura Medicophys* 42:205-10.

Dunleavy K, et al. (2016) Comparative effectiveness of Pilates and yoga group exercise interventions for chronic mechanical neck pain: quasi-randomised parallel controlled study. *Physiotherapy* 102(3): 236-242.

Eftekhari E, & Etemadifar M. (2018) Impact of Clinical Mat Pilates on Body Composition and Functional Indices in Female Patients With Multiple Sclerosis. *Crescent Journal of Medical & Biological Sciences* 5(4), 297-305.

Eyigor S, et al. (2010) Effects of Pilates exercises on functional capacity, flexibility, fatigue, depression and quality of life in female breast cancer patients: a randomized controlled study. *Eur J Phys Rehabil Med* May 6.

Finatto P, et al. (2018) Correction: Pilates training improves 5-km run performance by changing metabolic cost and muscle activity in trained runners. *PLoS One* 13(4).

Fourie M, et al. (2013) Effects of a mat Pilates programme on body composition in elderly women. (Randomized Controlled Trial) *West Indian Med J* 62(6): 524-528.

Fox EE, et al. (2016) Effects of Pilates-Based Core Stability Training in Ambulant People With Multiple Sclerosis: Multicenter, Assessor-Blinded, Randomized Controlled Trial. *Phys Ther* 96(8): 1170-1178.

Franco KFM, et al. (2018) Predictive factors for progression through the difficulty levels of Pilates exercises in patients with low back pain: a secondary analysis of a randomized controlled trial. *Brazilian Journal of Physical Therapy / Revista Brasileira de Fisioterapia* 22(6), 512-518.

Franco KFM, et al. (2017) Is Interferential Current Before Pilates Exercises More Effective Than Placebo in Patients With Chronic Nonspecific Low Back Pain?: A Randomized Controlled Trial. *Arch Phys Med Rehabil* 98(2), 320-328.

Gabizon H, et al. (2016) The Effects of Pilates Training on Balance Control and Self-Reported Health Status in Community-Dwelling Older Adults: A Randomized Controlled Trial. *J Aging Phys Act* 24(3): 376-383.

García-Garro PA, et al. (2020) Effectiveness of A Pilates Training Program on Cognitive and Functional Abilities in Postmenopausal Women. *Int J Environ Res Public Health* May 20;17(10).

Gladwell V, et al. (2006) Does a Program of Pilates Improve Non-Specific Low Back Pain? *J Sport Rehabil* 15, 338-350. (Randomized Controlled Trial)

Gordon S, et al. (2020) Effects of the Pilates method isolated and associated with manual therapy in women with urinary incontinence. *Manual Therapy, Posturology & Rehabilitation Journal* 18, 1-6.

Gomes CS, et al. (2018) The effects of Pilates method on pelvic floor muscle strength in patients with post-prostatectomy urinary incontinence: A randomized clinical trial. *Neurourol Urodyn*.

Gonzalez-Galvez N, et al. (2019) Functional improvements after a Pilates program in adolescents with a history of back pain: A randomised controlled trial. *Complement Ther Clin Pract* 35: 1-7.

González-Gálvez N, et al. (2020) Effect of 9-month Pilates program on sagittal spinal curvatures and hamstring extensibility in adolescents: randomised controlled trial. *Sci Rep* Jun 19;10(1):9977.

Greblo Jurakic Z, et al. (2017) Effects of feedback-based balance and core resistance training vs. Pilates training on cognitive functions in older women with mild cognitive impairment: a pilot randomized controlled trial. *Aging Clin Exp Res*.

Guimaraes GV, et al. (2011) Pilates in Heart Failure Patients: A Randomized Controlled Pilot Trial. *Cardiovasc Ther* Jul 10.

Hagen S, et al. (2014) A multicentre randomised controlled trial of a pelvic floor muscle training intervention for the prevention of pelvic organ prolapse (PREVPROL). *Neurourology and Urodynamics* 33(6): 852-853.

Halimohammad P, et al. (2020) Effects of Pilates Exercises on Professional Self-concept in Nurses Working in Intensive Care Units and Emergency Departments. *Iran J Nurs Midwifery Res* 25(2), 175-180.

Hasanpour-Dehkordi A, et al. (2017) A Comparison of the Effects of Pilates and McKenzie Training on Pain and General Health in Men with Chronic Low Back Pain: A Randomized Trial. *Indian J Palliat Care* 23(1), 36-40.

Ikai-Tani S, et al. (2020) Effects of 30-minute single sessions of yoga and Pilates on frailty in patients with psychiatric disorders: A pilot randomized controlled trial. *Int J Geriatr Psychiatry* Dec 14.

Irez GB, et al. (2011) Integrating Pilates Exercise into an Exercise Program for 65+ Year-Old Women to Reduce Falls. (Randomized Controlled Trial) *Journal of Sports Science & Medicine* 10(1): 105-111.



Jago R, et al. (2006) Effect of 4 weeks of Pilates on the body composition of young girls. *Preventive Medicine*. (Randomized Controlled Trial)

Johnson, et al. (2007) The effects of Pilates-based exercise on dynamic balance in healthy adults. *J Bodywork Move Ther* 11(3): 238-242. (Randomized Controlled Trial)

Jung K, Kim J, Park HY, Jung WS, Lim K. (2020) Hypoxic Pilates Intervention for Obesity: A Randomized Controlled Trial. *Int J Environ Res Public Health* Sep 30;17(19).

Jung K, Seo J, Jung WS, Kim J, Park HY, Lim K. (2020) Effects of an Acute Pilates Program under Hypoxic Conditions on Vascular Endothelial Function in Pilates Participants: A Randomized Crossover Trial. *Int J Environ Res Public Health* Apr 9;17(7).

Kalron A, et al. (2017) Pilates exercise training vs. physical therapy for improving walking and balance in people with multiple sclerosis: a randomized controlled trial. *Clin Rehabil*, 31(3), 319-328.

Karaman A, et al. (2017) Do Pilates-based exercises following total knee arthroplasty improve postural control and quality of life? *Physiother Theory Pract* 33(4), 289-295. (Randomized Controlled Trial)

Kibar S, et al. (2015) Is Pilates exercise program effective on balance, flexibility and muscle endurance? Randomized, controlled study. *J Sports Med Phys Fitness* Oct 16.

Kim ST & Lee JH. (2017) The effects of Pilates breathing trainings on trunk muscle activation in healthy female subjects: a prospective study. *J Phys Ther Sci* 29(2), 194-197.

Kofotolis N, et al. (2016) Effects of Pilates and trunk strengthening exercises on health-related quality of life in women with chronic low back pain. *J Back Musculoskelet Rehabil* Nov 21;29(4):649-659.

Kovach MV. (2013) Effects of Pilates and aqua fitness training on older adults' physical functioning and quality of life. *Biomedical Human Kinetics* 5, 22-27. (Randomized Controlled Trial)

Kucuk F, et al. (2016) Improvements in cognition, quality of life, and physical performance with clinical Pilates in multiple sclerosis: a randomized controlled trial. *J Phys Ther Sci* 28(3), 761-768.

Kucukcakir N, et al. (2013) Effects of Pilates exercises on pain, functional status and quality of life in women with postmenopausal osteoporosis. *J Bodyw Mov Ther* 17(2): 204-211. (Randomized Controlled Trial)

Kyounghwa J, et al. (2020) Hypoxic Pilates Intervention for Obesity: A Randomized Controlled Trial. *Int J Environ Res Public Health* 17(7186), 7186-7186.

Kyounghwa J, et al. (2020) Effects of an Acute Pilates Program under Hypoxic Conditions on Vascular Endothelial Function in Pilates Participants: A Randomized Crossover Trial. *Int J Environ Res Public Health* 17(2584), 2584-2584.

Lausen A, et al. (2018) Modified Pilates as an adjunct to standard physiotherapy care for urinary incontinence: a mixed methods pilot for a randomised controlled trial. *BMC Women's Health* Jan 12;18(1):16.

Lee H, et al. (2016) Effects of 8-week Pilates exercise program on menopausal symptoms and lumbar strength and flexibility in postmenopausal women. *J Exerc Rehabil* 12(3), 247-251.

Lee SM, et al. (2016) Clinical effectiveness of a Pilates treatment for forward head posture. *J Phys Ther Sci* 28(7), 2009-2013.

Lim HS, et al. (2016) The effects of Pilates exercise training on static and dynamic balance in chronic stroke patients: a randomized controlled trial. *J Phys Ther Sci* 28(6), 1819-1824.

Lima M, et al. (2021) The impact of an 8-week Pilates-based physical training program on functional mobility: data from a septuagenarian group. *Biomedical Human Kinetics* 13(1), 11-19.

Manshouri M, et al. (2014) Effects of Pilates Exercises on Flexibility and Volleyball Serve Skill in Female College Students. *Sport Scientific & Practical Aspects* 11(2): 19-25. (Randomized Controlled Trial)

Marandi SM, et al. (2013) A comparison between Pilates exercise and aquatic training effects on muscular strength in women with Multiple Sclerosis. *Pakistan Journal of Medical Sciences* 29(1 SUPPL.): 285-289. (Randomized Controlled Trial)

Marinda F, et al. (2013) Effects of a mat Pilates program on cardiometabolic parameters in elderly women. *Pakistan Journal of Medical Sciences* 29(2): 500-504. (Randomized Controlled Trial)

Markovic G, et al. (2015) Effects of feedback-based balance and core resistance training vs. Pilates training on balance and muscle function in older women: a randomized-controlled trial. *Arch Gerontol Geriatr* Sep-Oct;61(2):117-23.

Marshall PWM, et al. (2013) Pilates exercise or stationary cycling for chronic nonspecific low back pain: Does it matter? A randomized controlled trial with 6-month follow-up. *Spine* 38(15): E952-e959.

Martins FM, et al. (2020) Eight-week equipment based Pilates exercises positively affects quality of life, and functional capacity in non-active adult women: a randomized controlled trial. *J Sports Med Phys Fitness* Oct 22.

Maryam Bagheri N, and Bahram A. (2018) Effect of Eight Weeks of Pilates training on Orexin and Insulin Resistance Levels in Overweight Children. *Yafteh*, Vol 20, Iss 1, Pp 112-122 (2018)(1), 112. (Persian)

Melo KCB, et al. (2020) Pilates Method Training: Functional and Blood Glucose Responses of Older Women With Type 2 Diabetes. *J Strength Cond Res* Apr;34(4):1001-1007.

Mendonça TM, et al. (2013) Effects of Pilates exercises on health-related quality of life in individuals with juvenile idiopathic arthritis. *Arch Phys Med Rehabil* 94(11): 2093-2102. (Randomized Prospective Single-Blind Controlled Trial)

Mesquita LS, et al. (2015) Effects of two exercise protocols on postural balance of elderly women: a randomized controlled trial. *BMC Geriatr* Jun 2;15:61.

Miyamoto GC, et al. (2013) Efficacy of the addition of modified Pilates exercises to a minimal intervention in patients with chronic low back pain: a randomized controlled trial. *Physical Therapy* 93(3): 310-320.

- Miyamoto GC, et al. (2016) Effectiveness and Cost-Effectiveness of Different Weekly Frequencies of Pilates for Chronic Low Back Pain: Randomized Controlled Trial. *Phys Ther* Mar;96(3):382-9.
- Mostagi, et al (2015) Pilates versus general exercise effectiveness on pain and functionality in nonspecific chronic low back pain subjects. *J Bodywork Mov Ther* Oct;19(4):636-45. (Randomized Controlled Trial)
- Natour J, et al. (2015) Pilates improves pain, function and quality of life in patients with chronic low back pain: a randomized controlled trial. *Clinical Rehabilitation* 29(1): 59-68.
- Oksuz S, & Unal E. (2017) The effect of the clinical Pilates exercises on kinesiophobia and other symptoms related to osteoporosis: Randomised controlled trial. *Complement Ther Clin Pract* 26, 68-72.
- Oliveira LC, et al. (2017) Pilates increases isokinetic muscular strength of the elbow flexor and extensor muscles of older women: A randomized controlled clinical trial. *J Bodywork Mov Ther* 21(1), 2-10.
- Quinn K, et al. (2011) Do patients with chronic low back pain benefit from attending Pilates classes after completing conventional physiotherapy treatment? *Physiotherapy Practice and Research* 32(1):5-12. (Randomized Controlled Trial)
- Patti A, et al. (2016) Pain Perception and Stabilometric Parameters in People With Chronic Low Back Pain After a Pilates Exercise Program: A Randomized Controlled Trial. *Medicine (Baltimore)*, 95(2), e2414.
- Pedriali FR, et al. (2016) Is Pilates as effective as conventional pelvic floor muscle exercises in the conservative treatment of post-prostatectomy urinary incontinence? A randomised controlled trial. *Neurourol Urodyn* Jun;35(5):615-21.
- Poncela-Skupien C, et al. (2020) How does the Execution of the Pilates Method and Therapeutic Exercise Influence Back Pain and Postural Alignment in Children Who Play String Instruments? A Randomized Controlled Pilot Study. *Int J Environ Res Public Health* Oct 13;17(20).
- Rahimimoghadam Z, et al. (2019) Pilates exercises and quality of life of patients with chronic kidney disease. *Complement Ther Clin Pract* 34: 35-40.
- Ravari A, Mirzaei T, Bahremand R, Raeisi M, Kamiab Z. (2021) The effect of Pilates exercise on the happiness and depression of elderly women: a clinical trial study. *J Sports Med Phys Fitness* Jan;61(1):131-139.
- Rayes ABR, et al. (2019) The effects of Pilates vs. aerobic training on cardiorespiratory fitness, isokinetic muscular strength, body composition, and functional tasks outcomes for individuals who are overweight/obese: a clinical trial. *PeerJ* 7: e6022.
- Roller M, et al. (2018) Pilates Reformer exercises for fall risk reduction in older adults: A randomized controlled trial. *J Bodywork Move Ther* 22(4), 983-998.
- Rosu MO, et al. (2014) Effects of Pilates, McKenzie and Heckscher training on disease activity, spinal motility and pulmonary function in patients with ankylosing spondylitis: A randomized controlled trial. *Rheumatol Int* 34(3): 367-372.

Rydeard R, et al. (2006) Pilates-based therapeutic exercise: effect on subjects with nonspecific chronic low back pain and functional disability: a randomized controlled trial. *Journal of Orthopedic and Sports Physical Therapy* 36:472-84.

Saltan A, Ankaralı H. (2020) Does Pilates effect on depression status, pain, functionality, and quality of life in university students? A randomized controlled study. *Perspect Psychiatr Care* Jan;57(1):198-205.

Sarmiento LA, et al. (2017) Effect of conventional physical therapy and Pilates in functionality, respiratory muscle strength and ability to exercise in hospitalized chronic renal patients: a randomized controlled trial. *Clin Rehabil* 31(4), 508-520.

Savkin R & Bas Aslan U. (2016) The effect of Pilates exercise on body composition in sedentary overweight and obese women. *J Sports Med Phys Fitness*.

Sekendiz B, et al. (2007) Effects of Pilates exercise on trunk strength, endurance and flexibility in sedentary adult females. *J Bodywork Move Ther* Jan; 11: 318-26. (Randomized Controlled Trial)

Sener HO, et al. (2017) Effects of Clinical Pilates Exercises on Patients Developing Lymphedema after Breast Cancer Treatment: A Randomized Clinical Trial. *J Breast Health* (2013), 13(1), 16-22.

Silva MLD, et al. (2020) Different weekly frequencies of Pilates did not accelerate pain improvement in patients with chronic low back pain. *Braz J Phys Ther* May-Jun;24(3):287-292.

Siqueira Rodrigues BG, et al. (2010) Pilates method in personal autonomy, static balance and quality of life of elderly females. *J Bodyw Mov Ther* Apr;14(2):195-202. (Randomized Controlled Trial)

Sonmezer E, Özköslü MA, Yosmaoğlu HB. (2021) The effects of clinical Pilates exercises on functional disability, pain, quality of life and lumbopelvic stabilization in pregnant women with low back pain: A randomized controlled study. *J Back Musculoskelet Rehabil* 34(1):69-76.

Tolnai N, et al. (2016) Physical and psychological benefits of once-a-week Pilates exercises in young sedentary women: A 10-week longitudinal study. *Physiol Behav* 163, 211-218.

Torelli L, et al. (2016) Effectiveness of adding voluntary pelvic floor muscle contraction to a Pilates exercise program: an assessor-masked randomized controlled trial. *Int Urogynecol J* 27(11), 1743-1752.

Uluğ N, et al. (2018) Effects of Pilates and yoga in patients with chronic neck pain: A sonographic study. *J Rehabil Med* 50(1), 80-85.

Valenza MC, et al. (2017) Results of a Pilates exercise program in patients with chronic non-specific low back pain: A randomized controlled trial. *Clin Rehabil* 31(6): 753-760.

Vécseyne MK, et al. (2013) Effects of Pilates and aqua fitness training on older adults' physical functioning and quality of life. *Biomedical Human Kinetics* 5(1):22-27. (Randomized Controlled Trial)

Wong A, Figueroa A, Fischer SM, Bagheri R, Park SY. (2020) The Effects of Mat Pilates Training on Vascular Function and Body Fatness in Obese Young Women With Elevated Blood Pressure. *Am J Hypertens* May 21;33(6):563-569.

Yalfani A, Raeisi Z, Koumasian Z. (2020) Effects of eight-week water versus mat Pilates on female patients with chronic nonspecific low back pain: Double-blind randomized clinical trial. *J Bodyw Mov Ther* Oct;24(4):70-75.

Yu JH, et al. (2012) Effect of core stability training using Pilates on lower extremity muscle strength and postural stability in healthy subjects. *Isokinetics and Exercise Science* 20: 141-146. (Randomized Controlled Trial)

Zarei H, Norasteh AA, Rahmanpournashrudkoli A, Hajihoseini E. (2020) The effects of Pilates training on static and dynamic balance of female deaf students: A randomized controlled trial. *J Bodyw Mov Ther* Oct;24(4):63-69.

Zengin Alpozgen A, et al. (2016) Effectiveness of Pilates-based exercises on upper extremity disorders related with breast cancer treatment. *Eur J Cancer Care (Engl)*.

### **Non-Randomized Controlled Trials (28)**

Abasiyanik Z, et al. (2020) comparative study of the effects of yoga and clinical Pilates training on walking, cognition, respiratory functions, and quality of life in persons with multiple sclerosis: A quasi-experimental study. *Explore (NY)* Aug 24.

Ah-Hyun H, & Yoo-Jeong J. (2020) Effect of Mat Pilates on Body Fluid Composition, Pelvic Stabilization, and Muscle Damage during Pregnancy. *Applied Sciences* 10(9111), 9111-9111.

Alves de Araújo MEA, et al. (2011) The effectiveness of the Pilates method: Reducing the degree of nonstructural scoliosis, and improving flexibility and pain in female college students. *J Bodywork Move Ther* May 2011. (Non-Randomized Controlled Trial)

Araujo-Gomez RC, et al. (2018) Effects of resistance training, tai chi chuan and mat Pilates on multiple health variables in postmenopausal women. *Journal of Human Sport and Exercise* Vol 0, Iss 0 (2018)(0).

Batista JP, et al. (2019) The Acute Effects of Mat Pilates on Hemodynamic and Salivary Nitrite Responses After Exercise in Postmenopausal Women. *J Aging Phys Act*: 1-7.

Campos JL, et al. (2019) Effects of mat Pilates training and habitual physical activity on thoraco-abdominal expansion during quiet and vital capacity breathing in healthy women. *J Sports Med Phys Fitness* 59(1): 57-64.

Çitil ET, Kaya N. (2020) Effect of Pilates exercises on premenstrual syndrome symptoms: a quasi-experimental study. *Complement Ther Med* Nov 24;57:102623.

de Oliveira LMN, et al. (2018) Pilates method in the community: effect on the body posture of elderly women. *Fisioterapia e Pesquisa* 25(3): 315-322. (Portuguese)

Dos Santos JM, et al. (2020) Hemodynamic and creatine kinase changes after a 12-week equipment-based Pilates training program in hypertensive women. *J Bodyw Mov Ther* , 24(4), 496-502.

Gandolfi, N. R. S., et al. (2020) The influence of the Pilates method on quality of life and bone remodelling in older women: a controlled study. *Quality of Life Research* 29(2), 381-389.

González-Gálvez N, Vaquero-Cristóbal R, Marcos-Pardo PJ. (2020) Effect of Pilates Method on muscular trunk endurance and hamstring extensibility in adolescents during twelve weeks training and detraining. *J Bodyw Mov Ther* Apr;24(2):11-17.

González-Gálvez N, et al. (2020) Effect of 9-month Pilates program on sagittal spinal curvatures and hamstring extensibility in adolescents: randomised controlled trial. *Sci Rep* 10(1), 9977.

Hwang Y, et al. (2016) Effects of Pilates Exercise on Salivary Secretory Immunoglobulin A Levels in Older Women. *J Aging Phys Act* 24(3): 399-406.

Hyun J, et al. (2014) The effects of Pilates mat exercise on the balance ability of elderly females. *J Phys Ther Sci* 26(2): 291-293. (Non-Randomized Controlled Trial)

Kao YH, et al. (2015) Effects of a 12-week Pilates course on lower limb muscle strength and trunk flexibility in women living in the community. *Health Care Women Int* 36(3):303-19. (Non-randomized controlled trial)

Kliziene I, et al (2017) Effects of a 16-week Pilates exercises training program for isometric trunk extension and flexion strength. *J Bodyw Mov Ther* 21(1), 124-132.

Kim G & HwangBo PN. (2016) Effects of Schroth and Pilates exercises on the Cobb angle and weight distribution of patients with scoliosis. *J Phys Ther Sci* 28(3): 1012-1015.

Lee HT, et al. (2016) Effect of mat Pilates exercise on postural alignment and body composition of middle-aged women. *J Phys Ther Sci* 28(6), 1691-1695.

Maciel DP, Mesquita VL, Marinho AR, Ferreira GM, Abdon AP, Maia FM. (2020) Pilates method improves balance control in Parkinson's disease patients: An open-label clinical trial. *Parkinsonism Relat Disord* Aug;77:18-19.

Martins-Meneses DT, et al. (2015) Mat Pilates training reduced clinical and ambulatory blood pressure in hypertensive women using antihypertensive medications. *Int J Cardiol* Jan 20;179:262-8. (Nonrandomized, controlled trial)

Martínez-Sánchez SM, et al. (2020) Feasibility and effect of a Pilates program on the clinical, physical and sleep parameters of adolescents with anorexia nervosa. *Complement Ther Clin Pract* May;39:101161.

Montesano P & Mazzeo F. (2018) Pilates Improvement the Individual Basics of Service and Smash in Volleyball. *Sport Mont* 16(3), 25-30.

Rogers K & Gibson AL (2009) Eight-Week Traditional Mat Pilates Training-Program Effects on Adult Fitness Characteristics. *Research Qtr Ex Sport* Sept; 80(3):569-574. (Non-Randomized Controlled Trial)

Soares Machado OA, et al. (2020) Effect of a single exercise session on blood glucose and blood pressure in elderly. *Journal of Physical Education & Sport* 20(5), 2637-2642.

Tozim BM & Navega MT. (2018) Effect of Pilates method on inspiratory and expiratory muscle strength in the elderly. / Efeito do método Pilates na força dos músculos inspiratórios e expiratórios em idosos. *Brazilian Journal of Kineanthropometry & Human Performance* 20(1), 1-9.

Wawryszewicz M, & Targosiński P. (2020) Abdominal muscles activity and core stability in Pilates exercisers. *Advances in Rehabilitation* 34(3), 22-28.

Yasemin ÇY, & Eser A. (2020) The effects of regular physical activities on subjective well-being levels in women of menopause period. *Balneo Research Journal* 11(2), 224-229.

Yentür SB, Ataş N, Öztürk MA, Oskay D. (2020) Comparison of the effectiveness of Pilates exercises, aerobic exercises, and Pilates with aerobic exercises in patients with rheumatoid arthritis. *Ir J Med Sci* Oct 22;

### **Descriptive, Observational and Pre-Post Design Studies (88)**

Adliah F, Puspita A, Sutono E. (2020) Comparison between core exercise program with Pilates exercise program in weight changes in overweight students. *Enferm Clin Oct;30 Suppl 6:300-303*.

Ahearn EL, Greene A, Lasner A. (2018) Some Effects of Supplemental Pilates Training on the Posture, Strength, and Flexibility of Dancers 17 to 22 Years of Age. *Journal of Dance Medicine & Science* 22(4), 192-202.

Alves, M. C., et al. (2020) Effects of a Pilates protocol in individuals with non-specific low back pain compared with healthy individuals: Clinical and electromyographic analysis. *Clinical Biomechanics*, 72, 172-178.

Andrade LS, et al. (2015) Application of Pilates principles increases paraspinal muscle activation. *J Bodywork Move Ther* 19(1): 62-66.

Atilgan E, et al. (2017) Examining the postural awareness and flexibility changes in physical therapy students who took clinical Pilates class. *Pakistan Journal of Medical Sciences* 33(3), 640-644.

Baillie L, et al. (2019) Predictors of functional improvement in people with chronic low back pain following a graded Pilates-based exercise programme. *J Bodyw Mov Ther* 23(1): 211-218.

Barbosa AWC, et al. (2015) The Pilates breathing technique increases the electromyographic amplitude level of the deep abdominal muscles in untrained people. *J Bodywork Move Ther* 19(1): 57-61.

Batıbay S, Külcü DG, Kaleoğlu Ö, Mesci N. (2020) Effect of Pilates mat exercise and home exercise programs on pain, functional level, and core muscle thickness in women with chronic low back pain. *J Orthop Sci* Dec 29.

Bergamin M, et al. (2015) Effects of a Pilates exercise program on muscle strength, postural control and body composition: results from a pilot study in a group of post-menopausal women. *Age (Dordr)* Dec;37(6):118.

Bernardo LM. (2007) The effectiveness of Pilates training in healthy adults: An appraisal of the research literature. *J Bodywork Move Ther* 11(2): 106-110.

Bertoli J, et al. (2018) Effects of Mat Pilates on hip and knee isokinetic torque parameters in elderly women. *J Bodywork Move Ther* 22(3), 798-804.

Bird ML, & Fell J. (2014) Positive long-term effects of Pilates exercise on the aged-related decline in balance and strength in older, community-dwelling men and women. *J Aging Phys Act* 22(3): 342-347.



- Bo K, et al. (2011) Urinary incontinence among group fitness instructors including yoga and Pilates teachers. *Neurourol Urodyn* Mar;30(3):370-3.
- Caldwell K, et al. (2009) Effect of Pilates and taiji quan training on self-efficacy, sleep quality, mood, and physical performance of college students. *J Bodywork Move Ther* 13: 155-63.
- Cantergi D, et al. (2015) Muscle strategies for leg extensions on a Reformer apparatus. *J Electromyogr Kinesiol* Apr;25(2):260-4.
- Carmen EV, et al. (2020) Pilates as an instrument in improving the quality of life in multiple sclerosis patients. *Ovidius University Annals, Series Physical Education & Sport/Science, Movement & Health* 20, 227-232.
- Çelik D & Turkel N. (2015) The effectiveness of Pilates for partial anterior cruciate ligament injury. *Knee Surg Sports Traumatol Arthrosc* Aug 1.
- Coleman TJ, et al. (2015) Intra-abdominal pressure during Pilates: unlikely to cause pelvic floor harm. *Int Urogynecol J*.
- Cuddy P, Gaskell L. (2020) How do Pilates Trained Physiotherapists utilize and value Pilates Exercise for MSK conditions? A Qualitative Study. *Musculoskeletal Care* Sep;18(3):315-329.
- Curi-Perez, et al. (2014) Analysis of activities in the daily lives of older adults exposed to the Pilates Method. *J Bodywork Move Ther* 18(3): 326-331.
- Curnow D, et al. (2009) Altered motor control, posture, and the Pilates method of exercise prescription. *J Bodywork Move Ther* 13: 104-11.
- de Barros Silveira AP, et al. (2018) Immediate effect of a Pilates method exercise session on the cocontraction pattern of the trunk stabilizing muscles in individuals with and without nonspecific chronic low back pain. *Fisioterapia e Pesquisa* 25(2): 173-181. (Portuguese)
- do Espírito Santo BCDR, et al. (2020) Acute effects of mat Pilates session on heart rate and rating of perceived exertion. *J Bodyw Mov Ther* 24(2), 104-108.
- Dorado C, López-Gordillo A, Serrano-Sánchez JA, Calbet JAL, Sanchis-Moysi (2020) J. Hypertrophy of Lumbopelvic Muscles in Inactive Women: A 36-Week Pilates Study. *Sports Health* Nov/Dec;12(6):547-551.
- dos Santos NT, et al. (2017) Increased strength of the scapular stabilizer and lumbar muscles after twelve weeks of Pilates training using the Reformer machine: A pilot study. *J Bodyw Mov Ther* 21(1), 74-80.
- dos Santos NT, et al. (2019) Respiratory muscle performance after 12 sessions of training using the apparatus Reformer of Pilates method. *Fisioterapia e Pesquisa* 26(1): 58-64. (Portuguese)
- Dunleavy K, et al. (2016) Comparative effectiveness of Pilates and yoga group exercise interventions for chronic mechanical neck pain: quasi-randomised parallel controlled study. *Physiotherapy* 102(3): 236-242.



Emery K, et al. (2010) The effects of a Pilates training program on arm-trunk posture and movement. *Clin Biomech* (Bristol, Avon). Feb;25(2):124-30.

Endleman I & Critchley DJ. (2008) Transversus abdominis and obliquus internus activity during Pilates exercises: measurement with ultrasound scanning. *Arch Phys Med Rehabil* 89(11): 2205-12.

English T, et al. (2007) The Effect of Pilates Exercise on Trunk and Postural Stability and Throwing Velocity in College Baseball Pitchers: Single Subject Design. *North American Journal of Sports Physical Therapy: NAJSPT* 2(1): 8-21.

Ferla L, et al. (2016) Comparison of the functionality of pelvic floor muscles in women who practice the Pilates method and sedentary women: a pilot study. *Int Urogynecol J* Jan;27(1):123-8.

Fleming KM, Campbell M, Herring MP. (2020) Acute effects of Pilates on mood states among young adult males. *Complement Ther Med* Mar;49:102313.

Garcia-Soidan JL, et al. (2014) Does Pilates Exercise Increase Physical Activity, Quality of Life, Latency and Sleep Quantity in Middle-Aged People? *Perceptual & Motor Skills* 119(3): 838-850.

Gaskell L and Williams AE (2019) A qualitative study of the experiences and perceptions of adults with chronic musculoskeletal conditions following a 12-week Pilates exercise programme. *Musculoskeletal Care* 17(1): 54-62.

Geremia JM, et al. (2015) Effect of a physical training program using the Pilates method on flexibility in elderly subjects. *Age (Dordr)* Dec;37(6):119.

Giacomini MB, et al. (2016) The Pilates Method increases respiratory muscle strength and performance as well as abdominal muscle thickness. *J Bodyw Mov Ther* Apr;20(2):258-64.

Hagner-Derengowska M, et al. (2015) Effects of Nordic Walking and Pilates exercise programs on blood glucose and lipid profile in overweight and obese postmenopausal women in an experimental, nonrandomized, open-label, prospective controlled trial. *Menopause* Nov;22(11):1215-23.

Halis F, et al. (2016) Pilates for Better Sex: Changes in Sexual Functioning in Healthy Turkish Women After Pilates Exercise. *J Sex Marital Ther* May 18;42(4):302-8.

Herrington L & Davies R. (2005) The Influence of Pilates Training on the Ability to Contract the Transversus Abdominis Muscle in Asymptomatic Individuals. *J Bodywork Move Ther* Volume 9, Issue 1, January 2005, Pages 52-57.

Hwang Y, et al. (2015) Effects of Pilates Exercise on Salivary Secretory Immunoglobulin A Levels in Older Women. *J Aging Phys Act* Dec 14.

Kashuba V, et al. (2020) Impact of Pilates on the Intensity of Pain in the Spine of Women of the First Mature age. *Teoriã ta Metodika Fizičnogo Vihovannã* 20(1), 12-17.

Klautau AV, et al. (2020) Pilates exercise improves the clinical and immunological profiles of patients with human T-cell lymphotropic virus 1 associated myelopathy: A pilot study. *J Bodyw Mov Ther* Jul;24(3):1-8.

- Klein GR, et al. (2007) Return to Athletic Activity after Total Hip Arthroplasty. *J Arthroplasty* 22(2):171-5.
- Kolar P, et al. (2009) Analysis of Diaphragm Movement during Tidal Breathing and during its Activation while Breath Holding Using MRI Synchronized with Spirometry. *Physiol Res* 58: 383-92.
- Küçük F & Livanelioglu A. (2015) Impact of the clinical Pilates exercises and verbal education on exercise beliefs and psychosocial factors in healthy women. *J Phys Ther Sci* Nov;27(11):3437-43. (Non-randomized controlled trial)
- Kuo YL, et al. (2009) Sagittal spinal posture after Pilates-based exercise in healthy older adults. *Spine* 34(10): 1046-1051.
- Leopoldino AAO, et al. (2013) Effect of Pilates on sleep quality and quality of life of sedentary population *J Bodywork Move Ther* 17, 5e10.
- Lynch JA, et al. (2009) Effect on performance of learning a Pilates skill with or without a mirror. *J Bodywork Mov Ther* Jul;13(3):283-90.
- Marques NR, et al. (2013) EMG activity of trunk stabilizer muscles during Centering Principle of Pilates Method. *J Bodywork Move Ther* 17(2): 185-191.
- Martínez RB. (2018) The Pilates Method in Physical Education. School Health Intervention Programme: Quality of Life, Physical Fitness and Postural Attitude of Secondary School Students in Cantabria. / El mètode Pilates a l'educació física. Efectes d'un programa d'intervenció en la salut escolar: qualitat de vida, estat físic i actitud postural d'estudiants d'ESO a Cantàbria. *Apunts: Educació Física i Esports* (131), 108-108.
- Martínez-Sánchez SM, Martínez-García C, Martínez-García TE, Munguía-Izquierdo D. (2020) Psychopathology, Body Image and Quality of Life in Female Children and Adolescents With Anorexia Nervosa: A Pilot Study on the Acceptability of a Pilates Program. *Front Psychiatry* 11:503274.
- Martínez-Sánchez SM, et al. (2020) Feasibility and effect of a Pilates program on the clinical, physical and sleep parameters of adolescents with anorexia nervosa. *Complement Ther Clin Pract* 39, N.PAG-N.PAG.
- Menacho MO, et al. (2010) Electromyographic effect of mat Pilates exercise on the back muscle activity of healthy adult females. *J Manipul Physiol Therapeut* 33(9): 672-8.
- Menezes de Paula R, et al. (2020) Electromyographic analysis of trunk and pelvis muscles during Leg Circle on the mat and with springs on the Cadillac. *Fisioterapia e Pesquisa* 27(3), 271-276.
- Mischenko NY, et al. (2020) Pilates program use for high school girls' additional physical education. *Journal of Physical Education & Sport* 20(6), 3485-3490.
- Montuori S, et al. (2018) Functional Role of Internal and External Visual Imagery: Preliminary Evidences from Pilates. *Neural Plasticity* (26) 327-344.
- Newell D, et al. (2012) Changes in gait and balance parameters in elderly subjects attending an 8-week supervised Pilates programme. *J Bodywork Move Ther* Mar 2012.

Notarnicola A, et al. (2014) Daily Pilates exercise or inactivity for patients with low back pain: a clinical prospective observational study. *Eur J Phys Rehabil Med* 50(1): 59-66.

Nightingale G, Chandrakumaran K, Phillips C. (2021) The effect of modified Pilates-based positions on pelvic floor electromyographic (EMG) activity; a pilot study. *Int Urogynecol J* Feb;32(2):287-292.

Oliveira NT, et al. (2017) Muscle activation during Pilates exercises in participants with chronic nonspecific low back pain - a cross-sectional case control study. *Arch Phys Med Rehabil* 98(1): 88-95.

Machado PM, et al. (2017) Effectiveness of the Pilates method for individuals with nonspecific low back pain: clinical and electromyographic aspects. *Motriz: Revista de Educacao Fisica Vol 23, Iss 4 (2018)(4)*.

Martínez RB. (2018) The Pilates Method in Physical Education. School Health Intervention Programme: Quality of Life, Physical Fitness and Postural Attitude of Secondary School Students in Cantabria. / El mètode Pilates a l'educació física. Efectes d'un programa d'intervenció en la salut escolar: qualitat de vida, estat físic i actitud postural d'estudiants d'ESO a Cantàbria. *Apunts: Educació Física i Esports* (131): 108-108.

Panhan AC, et al. (2018) Neuromuscular efficiency of the multifidus muscle in pilates practitioners and non-practitioners. *Complement Ther Med* (40):61-63.

Pata RW, et al. (2014) The effect of Pilates-based exercise on mobility, postural stability, and balance in order to decrease fall risk in older adults. *J Bodywork Move Ther* 18(3): 361-367.

Patel M. (2021) Commentary: The effect of modified Pilates based positions on pelvic floor electromyographic (EMG) activity; a pilot study. *Int Urogynecol J* Feb;32(2):293.

Pereira ILR, et al. (2017) Trunk Muscle EMG During Intermediate Pilates Mat Exercises in Beginner Healthy and Chronic Low Back Pain Individuals. *J Manipulative Physiol Ther* 40(5): 350-357.

Rodriguez-Lopez ES, et al. (2019) One Year of Pilates Training for Ankylosing Spondylitis: A Pilot Study. *J Altern Complement Med*.

Roh SY. (2016a) The effect of 12-week Pilates exercises on wellness in the elderly. *J Exerc Rehabil* 12(2), 119-123.

Roh SY. (2016b) An exploration of implications for the development of Pilates instructor system through identification of instructors' difficulties. *J Exerc Rehabil* 12(4), 355-362.

Rrecaj-Malaj S, et al. (2020) Outcome of 24 Weeks of Combined Schroth and Pilates Exercises on Cobb Angle, Angle of Trunk Rotation, Chest Expansion, Flexibility and Quality of Life in Adolescents with Idiopathic Scoliosis. *Med Sci Monit Basic Res* Apr 13;26:e920449.

Queiroz BC, et al. (2010) Muscle activation during four Pilates core stability exercises in quadruped position. *Arch Phys Med Rehabil* Jan;91(1):86-92.

Sakabe DI, et al. (2020) Twelve Pilates sessions improve muscle function but has no effect on cardiac autonomic modulation of sedentary patients with low-back pain. *Manual Therapy, Posturology & Rehabilitation J* 18, 1-6.

Santos JMD, et al. (2020) Hemodynamic and creatine kinase changes after a 12-week equipment-based Pilates training program in hypertensive women. *J Bodyw Mov Ther* Oct;24(4):496-502.

Segal NA, Hein J, Basford JR. (2004) The effects of Pilates training on flexibility and body composition: an observational study. *Arch Phys Med Rehabil* 85(12):1977-81; Dec 2004.

Seghatoleslami A, et al. (2018) The impact of Pilates exercises on motor control of inactive middle-aged women. *Sleep and Hypnosis* 20(4), 262-266.

Sharma D, et al. (2018) Efficacy of Pilates based mat exercise on quality of life, quality of sleep, and satisfaction with life in type 2 diabetes mellitus. *Romanian Journal of Diabetes Nutrition & Metabolic Diseases* 25(2), 149-156.

Silva GB, et al. (2015) Electromyographic activity of rectus abdominis muscles during dynamic Pilates abdominal exercises. *J Bodyw Mov Ther* Oct;19(4):629-35.

Silva-Filho NM, et al. (2018) Pilates instructors: prevalence of musculoskeletal pain, associated occupational factors and comparison of quality of life relative to Brazilian reference values. *Rev Bras Med Trab* 16(4):407-416.

Souza C, et al. (2020) Cardiorespiratory Adaptation to Pilates Training. *Res Q Exerc Sport* Jun 4;1-7.

Stieglitz DD, et al. (2016) Equipment-based Pilates reduces work-related chronic low back pain and disability: A pilot study. *J Bodyw Mov Ther* Jan;20(1):74-82.

Suna G, & Isildak K. (2020) Investigation of the Effect of 8-Week Reformer Pilates Exercise on Flexibility, Heart Rate and Glucose Levels in Sedentary Women. *Asian Journal of Education and Training* 6(2), 226-230.

Tinoco-Fernandez M, et al. (2016) The Pilates method and cardiorespiratory adaptation to training. *Res Sports Med* 24(3), 281-286.

Tumonytė G, et al. (2018) "Effect of Pilates Method on 6-10 Year Old Dancesport Dancers' Physiological Responses. *Baltic Journal of Sport & Health Sciences* 109(2): 41-49.

van Hilst J, et al. (2015) Low back pain in young elite field hockey players, football players and speed skaters: Prevalence and risk factors. *J Back Musculoskelet Rehabil* 28(1):67-73.

Vaquero-Cristóbal R, et al. (2015) The effects of 16-weeks Pilates mat program on anthropometric variables and body composition in active adult women after a short detraining period. *Nutr Hosp* Apr 1;31(4):1738-47. doi: 10.3305/nh.2015.31.4.8501. (Spanish)

Vaquero-Cristobal R, et al. (2016) The effects of a Reformer Pilates program on body composition and morphological characteristics in active women after a detraining period. *Women Health* 56(7): 784-806.

von Sperling de Souza M & Brum Vierra C. (2006) Who are the people looking for the Pilates method? *J Bodywork Move Ther* Volume 10, Issue 4, Pages 328-334.

Werba DD, et al. (2017) Electrical Activity of Powerhouse Muscles During the Teaser Exercise of Pilates Using Different Types of Apparatus. *Percept Mot Skills* 124(2), 452-461.

Yu KK, et al. (2015) Interrater reliability of a Pilates movement-based classification system. *J Bodywork Move Ther* 19(1): 160-176.

### **Case Studies / Case Reports (10)**

Belgen Kaygisiz B, Çoban F, Selcuk F. (2020) The effect of clinical Pilates-based physiotherapy program for a Stiff Person Syndrome patient: a case report. *Acta Neurol Belg* Sep 30.

Blum CL. (2002) Chiropractic and Pilates therapy for the treatment of adult scoliosis. *Journal of Manipulative and Physiological Therapeutics* Vol 25 (4)May 2002, pp 1-15.

Dos Santos AN, et al. (2016) Pilates improves lower limbs strength and postural control during quiet standing in a child with hemiparetic cerebral palsy: A case report study. *Dev Neurorehabil* 19(4): 226-230.

Keays KS, et al (2008) The effects of Pilates exercises on shoulder range of motion, pain, mood, and upper-extremity function in women living with breast cancer. A pilot study. *Physical Therapy* Vol. 88(4):494-510.

Levine B, et al. (2009) Pilates Training for Use in Rehabilitation after Total Hip and Knee Arthroplasty: A Preliminary Report. *Clin Orthop Relat Res* 467:1468-75.

Moon JH, Hong SM, Kim CW, Shin YA. (2015) Comparison of deep and superficial abdominal muscle activity between experienced Pilates and resistance exercise instructors and controls during stabilization exercise. *J Exerc Rehabil* Jun 30;11(3):161-8. (Retrospective Case-Control Study)

Oliveira LC, et al. (2016) Effects of the Pilates method on variables related to functionality of a patient with traumatic spondylolisthesis at L4-L5: A case study. *J Bodyw Mov Ther* 2016 Jan;20(1):123-31,

Peterson L, Haladay DE. (2020) Pilates-based exercise in the treatment of a patient with persistent low back pain following transforaminal lumbar interbody fusion. *Physiother Theory Pract* Apr;36(4):542-549.

Stivala A, & Hartley G. (2013) The Effects of a Pilates-Based Exercise Rehabilitation Program on Functional Outcome and Fall Risk Reduction in an Aging Adult Status-Post Traumatic Hip Fracture due to Fall. *J Geriatr Phys Ther* Nov 25.

Yang YM, et al. (2010) Spontaneous diaphragmatic rupture complicated with perforation of the stomach during Pilates. *Americ Jour Emerg Med* 28:259.e1-259.e3.

### **Expert Opinions and Editorials (16)**

Anderson BA, Spector A. (2000) Introduction to Pilates-Based Rehabilitation *Orthopedic PT Clinics of North America* 9:3, Sept 2000, pp. 395-410.

Beck BR, et al. (2017) Exercise and Sports Science Australia (ESSA) position statement on exercise prescription for the prevention and management of osteoporosis. *J Sci Med Sport* 20(5): 438-445.

Bernardo LM. (2007) The effectiveness of Pilates training in healthy adults: An appraisal of the research literature. *J Bodywork Move Ther* 11:106-10.

- Betz SR. (2005) Modifying Pilates for Osteoporosis. *IDEA Fitness Journal* April; pp. 47-55.
- Betz SR. (2015) Are Pilates and yoga right for clients with low bone density? *IDEA Fitness Journal* Sept; pp. 80-84.
- Cozen DM. (2000) Use of Pilates in foot and ankle rehabilitation. *Sports Medicine and Arthroscopy Review* 8 (4), 395-403.
- Dugan SA, et al. (2016) A Multimethod Investigation into Physical Activity in Midlife Women. *J Phys Act Health*: 1-25.
- Hita-Contreras F, et al. (2016) Fall prevention in postmenopausal women: the role of Pilates exercise training. *Climacteric* 19(3): 229-233.
- Kelly OJ & JC Gilman. (2017) Can Unconventional Exercise be Helpful in the Treatment, Management and Prevention of Osteosarcopenic Obesity? *Curr Aging Sci* 10(2):106-121.
- Levine B, et al. (2007) Rehabilitation after total hip and knee arthroplasty: a new regimen using Pilates training. *Bull NYU Hosp Jt Dis* 65(2):120-5.
- McNeill W. (2011) Decision making in Pilates. *J Bodywork Move Ther* 15:103-7.
- McNeill W, et al. (2018) The Pilates client on the hypermobility spectrum. *J Bodywork Move Ther* 22(1), 209-216.
- Muscolino JE, Cipriani S. (2004) Pilates and the "powerhouse" – I. *J Bodywork Move Ther* 8:15-24.
- Muscolino JE, Cipriani S. (2004) Pilates and the "powerhouse" – II. *J Bodywork Move Ther* 8:122-130.
- Niehues JR, Gonzáles I, Lemos RR, Haas P. (2015) Pilates Method for Lung Function and Functional Capacity in Obese Adults. *Altern Ther Health Med* Sep-Oct;21(5):73-80. (Literature Review)
- Sorosky S, et al. (2008) Yoga and Pilates in the management of low back pain. (Literature Review) *Current Review Musculoskeletal Medicine* 1:39-47.